



(11) **EP 1 498 158 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
19.01.2005 Bulletin 2005/03

(51) Int Cl.7: **A63B 21/072, A63B 21/078,
A63B 71/00**

(21) Application number: **03016025.3**

(22) Date of filing: **15.07.2003**

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT RO SE SI SK TR**
Designated Extension States:
AL LT LV MK

(72) Inventor: **Chen, Paul**
Vancouver, BC V7A 1S5 (CA)

(74) Representative: **Casalonga, Axel et al**
BUREAU D.A. CASALONGA - JOSSE
Paul-Heyse-Strasse 33
80336 München (DE)

(71) Applicant: **Chen, Paul**
Vancouver, BC V7A 1S5 (CA)

(54) **Exercise bench and dumbbell combination**

(57) An exercise bench and dumbbell combination includes a base (10) having a bench (12) for supporting users, a shelf (30) supported on the base (10), and a dumbbell device (40) supported on the shelf (30) and to be easily fetched by the users. The shelf (30) is preferably rotatably secured on the base (10) with a pivot rod

(31), to allow the shelf (30) and the dumbbell device (40) to be rotated relative to the base (10) to any suitable positions. The dumbbell device (40) includes a number of weights (41) to be selectively secured or coupled to the hand grip (44). A cushion (25) may be adjustably attached the base (10) with an arm (20) to suitably support the users.




FIG. 1

Description

[0001] The invention relates to an exercise bench and dumbbell combination for allowing users to easily use the bench and the dumbbell device.

[0002] Typical exercise benches may comprise a trolley device attached to the bench and having a weight stack for allowing the users to conduct weight lifting or training exercises. However, the weight stack includes a heavy weight that may not be easily operated by various kinds of persons. In addition, the weight stack is slidably positioned in a frame and may not be moved to the other places, and thus may not be easily operated by the users.

[0003] The typical dumbbell devices may be moved to the other places, and may be easily operated by the users at any place or position. However, the typical exercise benches do not provide any support members to support the dumbbell devices, and may have to purchase additional stools or desks to support the dumbbell devices.

[0004] The invention is to provide an exercise bench and dumbbell combination for allowing the users to easily use either or both the exercise bench and the dumbbell device.

FIG. 1 is a partial exploded view of an exercise bench and dumbbell combination;

FIGS. 2, 3, 4 are perspective views illustrating the folding operation of the exercise bench of the combination;

FIGS. 5, 6, 7 are side schematic views illustrating the folding operation of the exercise bench of the combination;

FIG. 8 is a top plan schematic view illustrating the operation of the combination;

FIG. 9 is a perspective view of the dumbbell device; FIGS. 10 and 11 are top plan schematic views illustrating the adjustment of the dumbbell device;

FIG. 12 is a perspective view showing other dumbbell device;

FIG. 13 is a partial exploded view of the combination as shown in FIG. 12;

FIG. 14 is a perspective view showing a further dumbbell device; and

FIG. 15 is a partial exploded view of the combination as shown in FIG. 14.

[0005] Referring to FIGS. 1-8, an exercise bench and dumbbell combination comprises a base 10 including a bench 12 disposed on top of a post 11 with a block 13 to support users. An arm 20 includes one end rotatably secured to the post 11 or to the block 13 with a shaft 21 (FIGS. 5-7). The block 13 includes a number of orifices 14 arranged around the shaft 21. The arm 20 includes an extension 22 selectively secured to the block 13 at different angular positions with a latch pin 23. A cushion 25 may be rotatably attached to the other end of the arm

20 with a flap 26 and a pivot axle 27, the flap 26 may include one or more apertures 28 to receive a latch pin 29 which may be engaged through the arm 20.

[0006] A shelf 30 may be supported on the base 10 with a plate 32 and/or a rod 31 to support various dumbbell devices 40 (FIGS. 1-8) and includes a recess 33 formed by two bulges 34 each having a number of depressions 36 to receive the weights 41 of the dumbbell device 40. The shelf 30 and the dumbbell devices 40 may be rotated relative to the base 10 to suitable positions that allow users to easily fetch the dumbbell device 40. The dumbbell devices 40 those have been purchased by the users may also be selectively disposed on the shelf 30. As shown in FIG. 2, a stand 18 may further be disposed beside the base 10, and may include one or more hooks 19 to support the other weight lifting members or dumbbells 90.

[0007] As shown in FIG. 1 and 9-11, the dumbbell device 40 may include a number of weights 41 each having a channel 42 and a groove 43, a hand grip 44 having two ends 45 engageable through the channels 42 of the weights 41. Each of the ends 45 of the hand grip 44 includes a slot 46 to slidably receive a latch 80 which may be moved relative to the hand grip 44 and the weights 41, to engage with selected number of the weights 41.

[0008] A fastener 81 may be secured to the latch 80, and a catch 82 is slidably engaged on the fastener 81, and biased by a spring 83 to engage with the respective ends 45 of the hand grip 44, to secure the latch 80 and one or more weights 41 to the hand grip 44.

[0009] As shown in FIGS. 12-15, a frame 70 may be disposed on the shelf 30 to support the dumbbell devices 40, and includes a number of longitudinal and lateral wires 71, 72 secured together (FIGS. 12-13), to form a number of recesses 73, and to support the weights 41 of the dumbbell devices 40. The frame 70 may also include a curved or hook structure to support the weights 41 of the dumbbell devices 40 (FIGS. 14-15).

Claims


1. An exercise bench and dumbbell combination comprising a base (10) including a bench (12) to support users, and a dumbbell device (40), **characterized in that:**

a shelf (30) is supported on the base (10) to support the dumbbell device (40).

2. A combination as claimed in claim 1, wherein the shelf (30) is rotatably secured on the base (10) with a pivot rod (31).

3. A combination as claimed in claim 1, wherein the shelf (30) includes a recess (33) to support the dumbbell device (40).

4. A combination as claimed in claim 3, wherein the shelf (30) includes a pair of bulges (34) each having a plurality of depressions (36), the dumbbell device (40) includes a plurality of weights (41) seated in the depressions (36) of the shelf (30). 5
5. A combination as claimed in claim 12 wherein the shelf (30) includes a plate (32) attached to bottom and rotatably secured on the base (10) with the pivot rod (31). 10
6. A combination as claimed in claim 1 further comprising a cushion (25) selectively attached the base (10). 15
7. A combination as claimed in claim 6 further comprising an arm (20) attached to the base (10), to support the cushion (25). 20
8. A combination as claimed in claim 7, wherein the arm (20) includes a first end attached to the base (10), and a second end attached to the cushion. 25
9. A combination as claimed in claim 8 further comprising means (13, 22, 23) for adjustably securing the first end of the arm (20) to the base (10). 30
10. A combination as claimed in claim 9, wherein the adjustably securing means (13, 22, 23) includes a post (11) secured on the base (10), a block (13) disposed on the post (11) and having a plurality of orifices (14), an extension (22) extended from the first end of the arm (20), and a latch pin (23) engageable through the extension (22) and either of the orifices (14) of the block (13). 35
11. A combination as claimed in claim 8 further comprising means (26, 29) for adjustably securing the second end of the arm (20) to the cushion (25). 40
12. A combination as claimed in claim 11, wherein the securing means (26, 29) includes a flap (26) attached to the cushion (25) and having a plurality of apertures (28), and a latch pin (29) engageable through the flap (26) and either of the apertures (28) of the flap (26). 45
13. A combination as claimed in claim 1, wherein the dumbbell device (40) includes a plurality of weights (41) each having a channel (42), a hand grip (44) having at least one end engaged through the channel (42) of the weights (41), and a latch (80) for selectively securing the weights (41) to the hand grip (44). 50
14. A combination as claimed in claim 13, wherein the end of the hand grip (44) includes a slot (46) to slidably receive the latch (80) which is engageable with selected number of the weights (41). 55
15. A combination as claimed in claim 14, wherein the latch (80) includes a fastener (81), and a catch (82) slidably engaged on the fastener (81), and engageable with the end of the hand grip (44).








FIG. 2






FIG. 6

FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 11




FIG. 10




FIG. 12




FIG. 13




FIG. 15




FIG. 14



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 03 01 6025

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IntCL7)
X	US 5 924 964 A (HAYDEN RICHARD C) 20 July 1999 (1999-07-20)	1	A63B21/072A63B21
Y	* column 2, line 48 - line 65; figure 1 *	2-15	A63B21/072
X	US 5 411 459 A (HAYDEN RICHARD C) 2 May 1995 (1995-05-02)	1,3	
Y	* abstract; figure 1 *		
Y	* column 2, line 13 - line 64 *	2-5	
Y	US 2002/183174 A1 (CHEN PAUL) 5 December 2002 (2002-12-05)	3,4, 13-15	
	* paragraph '0026' - paragraph '0032'; figures 1,2 *		
Y	US 4 749 190 A (JENNINGS HOMER F) 7 June 1988 (1988-06-07)	6-12	
	* column 3, line 48 - column 6, line 55; figures 2-6 *		
Y	US 4 319 747 A (ROGERS J FRANK) 16 March 1982 (1982-03-16)	6-9	
	* column 3, line 6 - line 22; figure 1 *		
Y	RU 2 144 406 C (GUDIN VLADISLAV NIKOLAEVICH) 20 January 2000 (2000-01-20)	6,7	
	* page 5, column 2, line 2 - line 13; figure 12 *		
Y	US 6 416 446 B1 (KRULL MARK A) 9 July 2002 (2002-07-09)	13	
	* column 3, line 65 - column 5, line 61; figures 1-6 *		
The present search report has been drawn up for all claims			
Place of search MUNICH		Date of completion of the search 18 June 2004	Examiner Jekabsons, A
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background O: non-written disclosure P: intermediate document</p> <p>T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons A: member of the same patent family, corresponding document</p>			

EPO FORM 1503 03/02 (P4001)



European Patent
Office

Application Number

EP 03 01 6025

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims.

- ☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
- ☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

- ☒ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
- ☐ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
- ☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
- ☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:



European Patent
Office

**LACK OF UNITY OF INVENTION
SHEET B**

Application Number
EP 03 01 6025

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1-5

An exercise apparatus having a shelf.

2. Claims: 1, 6-12

An exercise apparatus having a bench.

3. Claims: 1, 13-15

An exercise apparatus having a dumbbell.

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 03 01 6025

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

18-06-2004

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5924964	A	20-07-1999	US 5772561 A	30-06-1998
US 5411459	A	02-05-1995	US 5616108 A	01-04-1997
US 2002183174	A1	05-12-2002	US 2004005969 A1	08-01-2004
US 4749190	A	07-06-1988	CA 1289156 C	17-09-1991
US 4319747	A	16-03-1982	NONE	
RU 2144406	C	20-01-2000	RU 2144406 C1	20-01-2000
US 6416446	B1	09-07-2002	US 6033350 A	07-03-2000
			US 2003153439 A1	14-08-2003
			US 6629910 B1	07-10-2003
			US 2002055426 A1	09-05-2002

EPO FORM P443B

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

\~15~

PUB-NO: EP001498158A1

DOCUMENT-IDENTIFIER: EP 1498158 A1

TITLE: Exercise bench and dumbbell combination

PUBN-DATE: January 19, 2005

INVENTOR-INFORMATION:

NAME

CHEN, PAUL

COUNTRY

CA

ASSIGNEE-INFORMATION:

NAME

CHEN PAUL

COUNTRY

CA

APPL-NO: EP03016025

APPL-DATE: July 15, 2003

PRIORITY-DATA: EP03016025A (July 15, 2003)

INT-CL (IPC): A63B021/072, A63B021/078 , A63B071/00

ABSTRACT:

CHG DATE=20050125 STATUS=O>An exercise bench and dumbbell combination includes a base (10) having a bench (12) for supporting users, a shelf (30) supported on the base (10), and a dumbbell device (40) supported on the shelf (30) and to be easily fetched by the users. The shelf (30) is preferably rotatably secured on the base (10) with a pivot rod (31), to allow the shelf (30) and the dumbbell device (40) to be rotated relative to the base (10) to any suitable positions. The dumbbell device (40) includes a number of weights (41) to be selectively secured or coupled to the hand grip (44). A

cushion

(25) may be adjustably attached the base (10) with an arm (20) to suitably support the users.